




Sync & Charge Magnetic Cables

USB-C® to USB-C® | 120 cm |
480 Mbps | 60 W / 100 W



Charge and Sync with Efficiency.

The Verbatim Sync & Charge Magnetic Cable delivers fast charging and efficient data transfer for all your USB-C devices. Supporting up to 60W and 100W of power and data speeds of up to 480Mbps, this cable is the perfect solution for smartphones, tablets, and smaller electric devices. Designed with universal compatibility, it offers reliable performance for all your devices.

Say goodbye to messy cables with the innovative magnetic design. This feature ensures the cable stays neatly coiled and ready for use, making it ideal for desks, cars, or bags. The durable braided exterior withstands over 30,000 bends, ensuring a long-lasting and clutter-free charging experience.

Crafted with a thick copper core and premium materials, the Sync & Charge Magnetic Cable ensures durability without compromising on flexibility. Its robust construction provides reliable performance and resistance to wear, making it a dependable companion for your daily charging and syncing needs.



Up to
100W




Magnetic design:
Tangle-Free




30,000x
Bend Test Passed



Support
USB-C Devices



General Information	
Product length	1200 mm
Product diameter	4.6 mm
Product weight	54 g
Colour	31850, 31854: Grey, 31851, 31855: Green, 31852, 31856: Blue, 31853, 31957: Pink, 31859, 31863: Black
Cable	USB-C to USB-C
Connectors	USB-C / USB-C (M/M) Straight
Cable material	Aluminium, Nylon, TPE
Display	No
Specifications	
Data transfer rate	480 Mbps
Power delivery	31850, 31852, 31853, 31859, 31864: up to 60W 31854, 31855, 31856, 31857, 31863: up to 100W
Charging technology supported	PD 3.0, QC 3.0
Directives	
Compliance certificates	CE, RoHS, REACH, UKCA
Electromagnetic Compatibility	2014/30/EC
Low Voltage Protection	2014/35/EC
General product Safety	2001/95/EC
RoHS Directive	2011/65/EC
Annex II	2015/863/EC
Test Standards	EN 55035:2017+A11:2020 EN 55032:2015+A11:2020+A1:2020 IEC 61000-4-2 IEC 61000-4-3



PN	Description	MOQ	Tariff Code	Bar Code	EAN128 Code	EAN14 Code
31850	Verbatim Sync & Charge USB-C to USB-C 60W Magnetic 120 cm - Grey	10	85444290	23942318507	(02)00023942318507(37)10(91)847 (02)00023942318507(37)40(91)847	20023942318501 50023942318502
31864	Verbatim Sync & Charge USB-C to USB-C 60W Magnetic 120 cm - Green	10	85444290	23942318664	(02)00023942318664(37)10(91)847 (02)00023942318664(37)40(91)847	20023942318648 50023942318649
31852	Verbatim Sync & Charge USB-C to USB-C 60W Magnetic 120 cm - Blue	10	85444290	23942318521	(02)00023942318521(37)10(91)847 (02)00023942318521(37)40(91)847	20023942318525 50023942318526
31853	Verbatim Sync & Charge USB-C to USB-C 60W Magnetic 120 cm - Pink	10	85444290	23942318538	(02)00023942318538(37)10(91)893 (02)00023942318538(37)40(91)893	20023942318532 50023942318533
31859	Verbatim Sync & Charge USB-C to USB-C 60W Magnetic 120 cm - Black	10	85444290	23942318590	(02)00023942318590(37)10(91)847 (02)00023942318590(37)40(91)847	20023942318594 50023942318595
31854	Verbatim Sync & Charge USB-C to USB-C 100W Magnetic 120 cm - Grey	10	85444290	23942318545	(02)00023942318545(37)10(91)893 (02)00023942318545(37)40(91)893	20023942318549 50023942318540
31855	Verbatim Sync & Charge USB-C to USB-C 100W Magnetic 120 cm - Green	10	85444290	23942318552	(02)00023942318552(37)10(91)893 (02)00023942318552(37)40(91)893	20023942318556 50023942318557
31856	Verbatim Sync & Charge USB-C to USB-C 100W Magnetic 120 cm - Blue	10	85444290	23942318569	(02)00023942318569(37)10(91)893 (02)00023942318569(37)40(91)893	20023942318563 50023942318564
31857	Verbatim Sync & Charge USB-C to USB-C 100W Magnetic 120 cm - Pink	10	85444290	23942318576	(02)00023942318576(37)10(91)893 (02)00023942318576(37)40(91)893	20023942318570 50023942318571
31863	Verbatim Sync & Charge USB-C to USB-C 100W Magnetic 120 cm - Black	10	85444290	23942318637	(02)00023942318637(37)10(91)847 (02)00023942318637(37)40(91)847	20023942318631 50023942318632

Logistic Information

Product Dimensions L	120 mm
Product Weight	54 g
Units per Pack	1
Pack Dimensions L x W x H	141 x 101.5 x 28 mm
Pack Weight	85.8 g
Units per Inner Carton	10
Inner Carton Dimensions L x W x H	223 x 180 x 114 mm
Inner Carton Weight	878 g
Units per Outer Carton	40
Outer Carton Dimensions L x W x H	385 x 243 x 258 mm
Outer Cartons Weight	3872 g
Outer Cartons per Layer	9
Layers per Pallet	4
Units per Pallet	1440

Pack Contents

- Verbatim Sync & Charge Magnetic Cable
- Quick Start Guide



Warranty

2 year limited warranty

For more information, please contact your key account manager



Publication date: 21/01/2025
© 2025 Verbatim. All rights reserved.
All brand names are registered trademarks of their respective owners.
Unauthorized use strictly prohibited.
Specifications are subject to change without prior notice.

